




Professional system for the
remote management of
HORECA equipment



Introduction

This document provides a list of controllers which are designed to operate with the cloud platform EPoCA. The controllers are identified by a purchasing code, which is available on the controller label.



Part	Description	
1	Purchasing code	
2	Additional information	
	Information	Meaning
	EPoCA + POWER SUPPLY	The controller can operate with the cloud platform EPoCA and can power the EVlinking Wi-Fi module
	EPoCA + EXT. POWER SUPPLY	The controller can operate with the cloud platform EPoCA but the EVlinking Wi-Fi module must be powered using insulated 12 VAC/15 VDC

EVlinking Wi-Fi module

The EVlinking Wi-Fi module is a hardware with built-in Wi-Fi connectivity. You need to connect it to your controllers in order to operate with the cloud platform EPoCA. The module is equipped with a TTL port (EVIF25TWX) or a RS-485 port (EVIF25SWX) and it can be powered by the controller or must be powered from the mains, according to the power capability of the controller. In the latter case, make sure to have 12 VAC/15 VDC power supply wiring.

EV3 Web and EVD Web

EV3 Web and EVD Web are a range of controllers with a built-in Ethernet port for wired network connection and is natively compatible with the cloud platform EPoCA.

EPoCA compatible controllers

Below you will find a list of the controllers that can operate with the cloud platform EPoCA, the appropriate EVlinking Wi-Fi module purchasing code that must be matched with the controller and the type of power source required.

Controller series name	Controller purchasing code	EVlinking Wi-Fi module purchasing code	Type of power source
EV3 100	EV3143N7	EVIF25TWX	insulated 12 VAC/15 VDC
EV3 200	EV3243N9RRC	EVIF25TWX	by the controller
	EV3244N9	EVIF25TWX	by the controller
	EV3254N9	EVIF25TWX	by the controller
	EV3292N3	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3292N7	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3292N7VRH	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3293N9	EVIF25TWX	by the controller
	EV3294N3	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3294N9	EVIF25TWX	by the controller
	EV3294N9VRH	EVIF25TWX	by the controller
	EV3294N9RRHRS	EVIF25SWX	insulated 12 VAC/15 VDC
	EV3294N9VRH	EVIF25TWX	by the controller
	EV3294Z3	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3294Z9	EVIF25TWX	by the controller
	EV3294Z9ERXRS	EVIF25SWX	insulated 12 VAC/15 VDC
	EV3294Z9ERXSX	EVIF25SWX	insulated 12 VAC/15 VDC
EV3 400	EV3411M3	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3411M5	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3411M7	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3412M3	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3412M9	EVIF25TWX	by the controller
	EV3421M3	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3421M9	EVIF25TWX	by the controller
	EV3422M3	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3422M9	EVIF25TWX	by the controller
	EV3423M3	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3423M9	EVIF25TWX	by the controller
EV3 800	EV3802N5	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3802N7	EVIF25TWX	insulated 12 VAC/15 VDC
EV3 Basic Split	EV3SB22N7	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3SB24N7	EVIF25TWX	insulated 12 VAC/15 VDC
	EV3SB54N9	EVIF25TWX	by the controller
EV3 Web	EV3W01N9R	not necessary (the controller connects via Ethernet)	-
	EV3W24N9R	not necessary (the controller connects via Ethernet)	-
	EV3W24N9RRH	not necessary (the controller connects via Ethernet)	-

EV3H94	EV3H94N9	EVIF25TWX	by the controller
EV3S554	EV3S554N9	EVIF25TWX	by the controller
EV3S844	EV3S844P9	EVIF25TWX	by the controller
EV8 300	EV8314J4	EVIF25TWX	insulated 12 VAC/15 VDC
	EV8314J9	EVIF25TWX	by the controller
	EV8318J4	EVIF25TWX	insulated 12 VAC/15 VDC
	EV8318J9	EVIF25TWX	by the controller
	EV8328J4	EVIF25TWX	insulated 12 VAC/15 VDC
	EV8328J9	EVIF25TWX	by the controller
	EV8338J4	EVIF25TWX	insulated 12 VAC/15 VDC
	EV8338J9	EVIF25TWX	by the controller
EVBOX Light J200	EVLJ224N7	EVIF25TWX	insulated 12 VAC/15 VDC
	EVLJ224N7V3	EVIF25TWX	insulated 12 VAC/15 VDC
	EVLJ225N7	EVIF25TWX	insulated 12 VAC/15 VDC
	EVLJ225N9V3	EVIF25TWX	by the controller
EVBOX Light JS200	EVLJS224N9	EVIF25TWX	by the controller
	EVLJS225N9	EVIF25TWX	by the controller
EVBOX Light J500	EVLJ536N7V3RXX1	EVIF25SWX	by the controller
EVBOX1	EVb1206N9XWX	integrated in the controller	by the controller
	EVb1206N9MWX	integrated in the controller	by the controller
EVD Web	EVDW01Z9	not necessary (the controller connects via Ethernet)	-

EVJ 200	EVJ203N2	EVIF25Twx	by the controller
	EVJ203N7	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ204N2	EVIF25Twx	by the controller
	EVJ204N7	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ204N7VG	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ204N7VN	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ204N7VXH	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ205N2	EVIF25Twx	by the controller
	EVJ205N7	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ205N7VN	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ205N7VXH	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ205N9	EVIF25Twx	by the controller
	EVJ206N2	EVIF25Twx	by the controller
	EVJ206Z2	EVIF25Twx	by the controller
	EVJ213N2	EVIF25Twx	by the controller
	EVJ213N7	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ214N2	EVIF25Twx	by the controller
	EVJ214N7	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ214N7VN	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ214N7VXH	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ215N2	EVIF25Twx	by the controller
	EVJ215N7	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ215N7VN	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ215N7VXH	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ216N2	EVIF25Twx	by the controller
	EVJ224N7	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ224N7V3	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ225N7	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ254N7	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ285N9VX3	EVIF25Twx	by the controller
EVJ 500	EVJ506N2VX3	EVIF25Twx	by the controller
	EVJ506N2VX3H	EVIF25Twx	by the controller
	EVJ526N2EX3	EVIF25Twx	by the controller
	EVJ536N2EX3	EVIF25Twx	by the controller
	EVJ536N2VX3	EVIF25Twx	by the controller
EVJ 700	EVJ705J9	EVIF25Twx	by the controller
	EVJ705J9VG	EVIF25Twx	by the controller
	EVJ705Z9	EVIF25Twx	by the controller
	EVJ725J9	EVIF25Twx	by the controller
EVJ 800	EVJ805P9VX3	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ815P9VX3	EVIF25Twx	insulated 12 VAC/15 VDC
	EVJ825P9PX3	EVIF25Twx	insulated 12 VAC/15 VDC

EVJ Basic Split	EVJSB24N7	EVIF25TWX	insulated 12 VAC/15 VDC
EVJS 200	EVJS204N9	EVIF25TWX	by the controller
	EVJS204N9FN	EVIF25TWX	by the controller
	EVJS205N9	EVIF25TWX	by the controller
	EVJS205N9FN	EVIF25TWX	by the controller
	EVJS214N9	EVIF25TWX	by the controller
	EVJS214N9FN	EVIF25TWX	by the controller
	EVJS215N9	EVIF25TWX	by the controller
	EVJS215N9FN	EVIF25TWX	by the controller
EVJS 500	EVJS506N9EXXCQ	EVIF25TWX	by the controller
EVJS 800	EVJS815P9	EVIF25TWX	by the controller
	EVJS825P9	EVIF25TWX	by the controller
EVY 200	EVY216DN9	EVIF25TWX	by the controller
	EVY216LN9	EVIF25TWX	by the controller
	EVY236DN9	EVIF25TWX	by the controller
	EVY236DN9PFT	EVIF25TWX	by the controller
	EVY236LN9	EVIF25TWX	by the controller
	EVY236LN9XFT	EVIF25TWX	by the controller
	EVYB13LN9	EVIF25TWX	by the controller
	EVYB14LN9	EVIF25TWX	by the controller
	EVYB15LN9	EVIF25TWX	by the controller
	EVYB33LN9	EVIF25TWX	by the controller
	EVYB34LN9	EVIF25TWX	by the controller
	EVYB35LN9	EVIF25TWX	by the controller
	EVYB35LN9VFT	EVIF25TWX	by the controller
Vcolor 229 M	EVCMC229N9E	EVIF25SWX	by the controller
	EVCMC229N9EF	EVIF25SWX	by the controller
Vcolor 229 L	EVCLC229N9E	EVIF25SWX	by the controller
	EVCLC229N9EF	EVIF25SWX	by the controller
Vcolor 249 M	EVCMC249N9E	EVIF25SWX	by the controller
	EVCMC249N9EF	EVIF25SWX	by the controller
Vcolor 249 L	EVCLC249N9E	EVIF25SWX	by the controller
	EVCLC249N9EF	EVIF25SWX	by the controller
Vcolor 279 M	EVCMC279Z9E	EVIF25SWX	by the controller
	EVCMC279Z9EF	EVIF25SWX	by the controller
Vcolor 279 L	EVCLC279Z9E	EVIF25SWX	by the controller
	EVCLC279Z9EF	EVIF25SWX	by the controller
Vcolor 318 M	EVCMC318J9E	EVIF25SWX	by the controller
Vcolor 318 L	EVCLC318J9E	EVIF25SWX	by the controller
Vcolor 328 M	EVCMC328J9E	EVIF25SWX	by the controller
Vcolor 328 L	EVCLC328J9E	EVIF25SWX	by the controller

Vcolor 368 M	EVCMC36DC2E	EVIF25SWX	by the controller
	EVCMC36DC2EF	EVIF25SWX	by the controller
	EVCMC36DJ2E	EVIF25SWX	by the controller
	EVCMC36DJ2EF	EVIF25SWX	by the controller
Vcolor 368 L	EVCLC36DC2E	EVIF25SWX	by the controller
	EVCLC36DC2EF	EVIF25SWX	by the controller
	EVCLC36DJ2E	EVIF25SWX	by the controller
	EVCLC36DJ2EF	EVIF25SWX	by the controller
Vcolor 539 M	EVCMC539N9E	EVIF25SWX	by the controller
	EVCMC539N9EF	EVIF25SWX	by the controller
Vcolor 539 L	EVCLC539N9E	EVIF25SWX	by the controller
	EVCLC539N9EF	EVIF25SWX	by the controller
Vcolor 618 M	EVCMC618N9E	EVIF25SWX	by the controller
	EVCMC618N9EF	EVIF25SWX	by the controller
Vcolor 618 L	EVCLC618N9E	EVIF25SWX	by the controller
	EVCLC618N9EF	EVIF25SWX	by the controller
Vcolor 679 M	EVCMC679N9EH	EVIF25SWX	by the controller
	EVCMC679N9EFH	EVIF25SWX	by the controller
Vcolor 689 M	EVCMC689N9EH	EVIF25SWX	by the controller
	EVCMC689N9EFH	EVIF25SWX	by the controller
Vcolor 679 L	EVCLC679N9EH	EVIF25SWX	by the controller
	EVCLC679N9EFH	EVIF25SWX	by the controller
Vcolor 689 L	EVCLC689N9EH	EVIF25SWX	by the controller
	EVCLC689N9EFH	EVIF25SWX	by the controller
Vcolor 819 M	EVCMC819P9E	EVIF25SWX	by the controller
	EVCMC819P9EF	EVIF25SWX	by the controller
	EVCMC819P9ED	EVIF25SWX	by the controller
Vcolor 819 L	EVCLC819P9E	EVIF25SWX	by the controller
	EVCLC819P9E01	EVIF25SWX	by the controller
	EVCLC819P9ED	EVIF25SWX	by the controller
	EVCLC819P9EF	EVIF25SWX	by the controller
Vcolor 829 M	EVCMC829P9E	EVIF25SWX	by the controller
	EVCMC829P9EF	EVIF25SWX	by the controller
Vcolor 829 L	EVCLC829P9E	EVIF25SWX	by the controller
	EVCLC829P9EF	EVIF25SWX	by the controller
Vcolor 869 M	EVCMC869P9E	EVIF25SWX	by the controller
	EVCMC869P9EF	EVIF25SWX	by the controller
Vcolor 869 L	EVCLC869P9E	EVIF25SWX	by the controller
	EVCLC869P9EF	EVIF25SWX	by the controller
Vcolor 879 M	EVCMC879P9E	EVIF25SWX	by the controller
	EVCMC879P9EF	EVIF25SWX	by the controller

Vcolor 879 L	EVCLC879P9E	EVIF25SWX	by the controller
	EVCLC879P9EF	EVIF25SWX	by the controller

EPoCA

List of compatible controllers ver. 2.5

PT - 51/24

Code 116EPCE254

This document and the solutions contained therein are the intellectual property of EVCO and thus protected by the Italian Intellectual Property Rights Code (CPI). EVCO imposes an absolute ban on the full or partial reproduction and disclosure of the content other than with the express approval of EVCO. The customer (manufacturer, installer or end-user) assumes all responsibility for the configuration of the device.

EVCO accepts no liability for any possible errors in this document and reserves the right to make any changes, at any time without prejudice to the essential functional and safety features of the equipment.



EVCO S.p.A.

Via Feltre 81, 32036 Sedico (BL) ITALY

phone +39 0437/8422 **fax** +39 0437/83648

email info@evco.it **web** www.evco.it